

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Jannelle M. Lebron
HIROYUKI INOUE, ET AL.)	
	:	Group Art Unit: 2861
Appl. No.: 10/765,036)	
	:	Confirmation No.: 9623
Filed: January 28, 2004)	
	:	
For: RECORDING APPARATUS)	
	:	
Patent No.: US 7,101,019 B2)	
	:	
Issued: September 5, 2006)	March 19, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-identified patent:

COLUMN 2:

Line 2, "displacably" should read --displaceably--.

Line 29, "is" (second occurrence) should read --be--.

COLUMN 3:

Line 24, "opened." should read --opened;--.

COLUMN 8:

Line 30, "is" should read --be--.

Line 33, "is" should read --be--.

Line 58, "in" should read --is--.

COLUMN 9:

Line 45, "are" should read --be--.

Line 61, "face" should read --faces--.

COLUMN 10:

Line 18, "portion." should read --portion--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

No fee is believed to be necessitated by the filing of this paper. However, the Commissioner is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Mark A. Williamson/

Mark A. Williamson
Attorney for Patentees
Registration No. 33,628

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

MAW:eyw

FCHS_WS 1397390v1